

# CS 211 Homework 2

Spring 2023

Code Due: April 20, 2022, 11:59 PM, Central Time  
Self-Eval Due: April 23, 2022, 11:59 PM, Central Time  
Partners: No; must be completed by yourself

## Purpose

The goal of this assignment is to get you programming with more complex usages of memory, structs and arrays, and algorithms than you have previously.

## Preliminaries

Login to the server of your choice and `cd` to the directory where you keep your CS 211 work. Then unarchive the starter code, and change into the project directory:

```
% cd cs211
% tar -kxvf ~cs211/hw/hw2.tgz
:
% cd hw2
```

If you have correctly downloaded and configured everything then the project should build cleanly (although the existing tests may not all pass):

```
% make
:
cc -o test_vc test/test_vc.o src/libvc.o -l211 -fsaniti...
%
```

## Introduction

In this project, you will implement a library `vc` for counting votes and a small client program `count` that exercises the library.

An important idea throughout this program is to adhere to the specified ownership protocol for managing memory. In the library, you will implement operations for an abstract type `vote_count_t` that points to a mapping from candidate names to their vote counts. A `vote_count_t` object **owns** the strings that hold the names of the candidates, so whoever frees the `vote_count_t` object is responsible for freeing its strings as well.

This homework assignment must be completed on Linux by logging into a [Linux workstation](#). Each time you login to work on CS 211, you should run `211` to ensure your environment is setup correctly. (If you get an error saying that `211.h` doesn't exist, that probably means you forgot to run `211`.)

## Contents

<b>Preliminaries</b>	<b>1</b>
<b>Introduction</b>	<b>1</b>
<b>Orientation</b>	<b>2</b>
<i>Make targets</i> . . . . .	2
<b>Specifications</b>	<b>2</b>
The <i>count</i> program . . . . .	2
The <i>vc</i> library . . . . .	4
<b>Hints</b>	<b>7</b>
Representation invariant . . . . .	7
Iterating over a vote count map . . . . .	7
Ownership strategy . . . . .	7
<b>Reference</b>	<b>8</b>
Alignment using <i>printf(3)</i> Running the program with a different MAX_CANDIDATES . . . . .	8
Testing with automati- cally generated names . . . . .	8
<b>Deliverables &amp; evaluation</b>	<b>9</b>
<b>Submission</b>	<b>10</b>

## Orientation

As in Homework 1, your code is divided into three `.c` files:

- Most significant functionality will be defined in the “*vc* library,” `src/libvc.c`.
- Tests for those functions will be written in `test/test_vc.c`.
- The `main()` function that implements the *count* program will be defined in `src/count.c`.

Function signatures for `src/libvc.c` are provided for you in `src/libvc.h`; since the grading tests expect to interface with your code via this header file, **you must not modify `src/libvc.h` in any way**. All of your code will be written in the three `.c` files.

## Make targets

The project also provides a `Makefile` with several targets you can run depending on your goal:

target	description
<code>test</code>	builds everything & runs the tests <sup>*</sup> &
<code>all</code>	builds everything, runs nothing &
<code>test_vc</code>	builds the unit tests
<code>count</code>	builds the <i>count</i> program
<code>clean</code>	removes all build products &

\* default      & phony

Target `test` is the default, which means you can run it by typing `make` alone, with no target name.

## Specifications

The project comprises two functional components, which are specified in the next two subsections.

### The *count* program

The *count* program<sup>[hint]</sup> reads candidate names, one per line, from the standard input. It counts the number of occurrences of each candidate name, and when the input ends, it prints a table of candidate names and counts to the standard output, like so:

```
% ./count
kennedy
nixon
nixon
kennedy
```

```
kennedy
^D
kennedy          3
nixon           2
```

The *count* program is limited in how many different candidates it can handle, and the limit is defined using a C preprocessor macro `MAX_CANDIDATES` in the `src/libvc.h` header file. When *count* is given more different candidates than it can handle, it begins dropping votes. Each time it sees a candidate that it hasn't seen before and doesn't have room for, it prints a message to `stderr`. At the end, if there are any dropped votes, it prints the total count of dropped votes to `stderr` before terminating with exit code 2.

So for example, if `MAX_CANDIDATES` were only 2, it would behave like this:

```
% ./count
perot
bush
clinton
./count: vote dropped: clinton
clinton
./count: vote dropped: clinton
clinton
./count: vote dropped: clinton
bush
^D
perot          1
bush          2
./count: 3 vote(s) dropped
[2]% echo $status
2
%
```

If the program fails to allocate memory, it exits with a message printed to `stderr` and an exit code of 1.

### Strategy for the *count* program [«spec]

The *count* program should start by allocating a vote count map by calling one of the *vc* library functions, terminating with an error message on `stderr` and exit code of 1 if allocation fails. (Use the predefined `OOM_MESSAGE` as your format string.)

Next, it should to read a line at a time using `read_line(3)` until end-of-file. Each string returned by `read_line()` is a candidate name and should be counted in the vote count map, unless calling `vc_update()` indicates that the vote count map is full. (Use `DROP_MESSAGE` to format the required warning when dropping a vote.) `read_line()`

In the terminal, pressing Control-D (only at the beginning of a line) sends the end-of-file signal.

You can print messages to `stderr` using `fprintf(3)`. The first argument to the function should be the word `stderr`, which denotes that you want to print to standard error, and the remaining arguments work just like `printf(3)`.

We use underlining to indicate what the program prints to the standard error.

In *fish*, the special shell variable `$status` contains the exit code of the most recently run command. (Most other shells use  `$?`  for the exit code.)

allocates memory using `malloc()` so you must call `free` on the result of `read_line` when its no longer needed (e.g., some time before the next line is read).

Once there are no more votes to count, it should print the vote summary and deallocate the vote count map by calling one of the `vc` library functions.

Finally, if any votes were dropped, print a final warning (use `FINAL_MESSAGE`) before terminating with exit code 2. Of course, if no votes were dropped, the exit code should be 0.

### *The vc library*

The header `src/libvc.h` defines one type, intended to represent a mapping from candidate names to vote counts:

```
typedef struct vote_count* vote_count_t;
```

Recall learning about the `typedef` keyword in class. From the above statement, `vote_count_t` is an alias for `struct vote_count*`. This `vote_count_t` type is abstract in the sense that other files that include `src/libvc.h` will know that type `vote_count_t` is a pointer to some struct type, but they won't know anything about the definition of that struct. This means that they can create, manipulate, and destroy `struct vote_count` objects only via the functions declared in the same header.

We will refer to the object that a `vote_count_t` points to as a *vote count map*. The `src/libvc.h` header declares eight functions for working with vote count maps: two for managing their lifecycles (these are implemented for you), one for modifying them, and five for querying them. The requirements for each function may refer to different parts of the Hints function towards the end of the document (these sections are linked where relevant). The functions are:

- `vote_count_t vc_create(void)` allocates a new, empty vote count map on the heap, initializes it <sup>[invariant hint»]</sup>, and returns a pointer to it. Every successful call to `vc_create()` allocates a new object that must subsequently be deallocated exactly once using `vc_destroy`. We already implement this function for you.

**Ownership:** The caller takes ownership of the result.

**Errors:** Returns `NULL` if memory cannot be allocated.

- `void vc_destroy(vote_count_t vc)` deallocates all memory associated with `vc` <sup>[ownership hint»]</sup>. `vc` may be `NULL`, in which case this function does nothing. We already implement this function for you.

**Ownership:** Takes ownership of `vc`.

**Errors:** If `vc` has already been destroyed or wasn't returned by `vc_create()` in the first place then this function has undefined behavior.

- `size_t* vc_update(vote_count_t vc, const char* name)` **does not update a count.** Rather, it returns a pointer to the count for candidate `name`, so that the caller can use that pointer to update the count. If `name` is already present in `vc` the returned pointer will point to the existing count for candidate `name`; otherwise, the next empty slot in the `vc` array should be set to contain a copy of `name` and a count of 0 and the function should return a pointer to this new count. Refer to the iterating hints towards the end of the document for suggestions and requirements on iterating through the map (linked here too). [\[iteration hint»\]](#) [\[ownership hint»\]](#)

#### Ownership:

- Borrows `name` transiently, which means that it does not store it anywhere. (In other words, a name inserted into `vc` must still be valid even after `name` is not.) Instead, it must copy `name`'s contents.
- Borrows `vc` transiently.
- The returned pointer is borrowed from `vc` and is valid until `vc` is destroyed.

#### Errors:

- Returns `NULL` if `name` is not present in `vc` and cannot be added because `vc` is full.
- Prints a message to `stderr` and exits the program with code 1 if we need to allocate a copy of `name` and allocation fails.

#### Strategy for `vc_update`

To help with writing this function, we have implemented one helper function `strdup_or_die` for you in `libvc.c` that you can call within your `vc_update`. This function clones a string onto the heap, prints a message to `stderr` and exits with code 1 if `malloc()` fails.

You must complete the following additional helper functions to be called and used within the `vc_update` function (and perhaps functions defined later):

```
// Returns a pointer to the first element of `vc`
// whose `candidate` matches `name`, or NULL if not found.
static struct vote_count*
vc_find_name(vote_count_t vc, const char* name);
```

The keyword `static` before a function signature makes a function definition local to the `.c` file it is written in, so `static` should be applied to all helper functions.

```

// Returns a pointer to the first element of `vc` whose
// `candidate` is NULL, or NULL if it's full.
static struct vote_count*
vc_find_empty(vote_count_t vc);

```

You will likely use these helper functions to help with finding the entry in the vote count map corresponding to `name`, finding the next empty slot in the map if a new entry in the map needs to be added, and copying `name` to belong to a new `vc` entry in the map if one needs to be added.

- `size_t` `vc_lookup(vote_count_t vc, const char* name)` looks up the count for candidate `name`; returns 0 if not found. You may make use of the `vc_find_name` function described above within `vc_lookup`. [iteration hint»]

**Ownership:** Borrows both arguments transiently.

- `size_t` `vc_total(vote_count_t vc)` returns the total number of votes cast (not counting any dropped votes). [iteration hint»]

**Ownership:** Borrows `vc` transiently.

- `const char*` `vc_max(vote_count_t vc)` returns the name of the candidate with the most (non-zero) votes. In case of a tie, returns the candidate who was added to `vc` *earlier*.

Returns `NULL` if `vc` contains no candidates with more than zero votes. [iteration hint»]

**Ownership:**

- Borrows `vc` transiently.
- The returned pointer is borrowed from `vc` and is valid until `vc` is destroyed.

- `const char*` `vc_min(vote_count_t vc)` returns the name of the candidate with the fewest (non-zero) votes. In case of a tie, returns the candidate who was added to `vc` *later*.

Returns `NULL` if `vc` contains no candidates with more than zero votes. [iteration hint»]

**Ownership:**

- Borrows `vc` transiently.
- The returned pointer is borrowed from `vc` and is valid until `vc` is destroyed.

When checking if two strings are equal in `vc_find_name()`, we should not compare them using `==` as that just compares the addresses held in each string variable (since string variable names hold addresses) and not the string contents themselves. You should instead use `strcmp(3)` defined in the `string.h` library to compare two strings.

- `void vc_print(vote_count_t vc)` prints a summary of the vote counts on `stdout`. The counts are printed one candidate per line in the order they first were added. The candidate names are left-aligned in a 20-character column, followed by a single space, and then the counts right-aligned in a 9-character column. See hints for suggestions on using `printf` to output the counts in the above format. [[printf\(3\) reference](#)] [[iteration hint](#)]

**Ownership:** Borrows `vc` transiently.

Note that `libvc` is not responsible for maintaining any information about dropped votes. That counting must be handled by the client program.

### *Hints*

In this section we provide suggestions and help interpreting the specification.

#### *Representation invariant* [[«vc\\_create\(\) spec](#)]

If there are  $n$  candidates mapped in `vc` then the `candidate` fields of the first  $n$  elements of `vc` must contain their names, and the remaining `candidate` fields (if  $n < \text{MAX\_CANDIDATES}$ ) must be `NULL`. This is so that you know when to stop when searching for a candidate or for a free slot.

The first  $n$  `count` fields, corresponding to the  $n$  candidate names, must contain those candidates' counts. It does not matter what the remaining ( $\text{MAX\_CANDIDATES} - n$ ) `count` fields contain (or even whether they are initialized), since they do not store any information until their corresponding `candidate` fields are non-`NULL`.

To work properly, all of the functions in `src/libvc.c` must collaborate to maintain each vote count map in a consistent state.

#### *Iterating over a vote count map*

Most of the functions in `src/libvc.c` need to iterate over the array that their `vote_count_t` argument points to. Be careful, because this iteration requires different termination conditions in different places. In particular, it always needs to stop before `MAX_CANDIDATES`, but often it is also necessary to stop when reaching a `NULL` candidate name.

[[«vc\\_update\(\) spec](#)] [[«vc\\_lookup\(\) spec](#)]

[[«vc\\_total\(\) spec](#)] [[«vc\\_max\(\) spec](#)]

[[«vc\\_min\(\) spec](#)] [[«vc\\_print\(\) spec](#)]

#### *Ownership strategy* [[«vc\\_destroy\(\) spec](#)] [[«vc\\_update\(\) spec](#)]

A vote count map owns the strings that store the candidate names, but the `vc_update()` function merely borrows the name that it is given. This has several implications:

- In order to store the name of a candidate that it has not yet seen, the implementation of the `vc_update()` function needs to make its own copy of the `name` parameter on the heap.
- Clients of `vc_update()` are free to deallocate or reuse the `name` parameter that they pass to `vc_update()` as soon as `vc_update()` returns.
- Properly deallocating the memory associated with a `vote_count_t` (as in `vc_destroy()`) means deallocating all of the strings it owns.

## Reference

### *Alignment using `printf(3)`*<sup>[«vc\_print() spec]</sup>

For printing the table of counts, you will want to use `printf(3)`'s padding and alignment capabilities. In particular:

- A field may be padded to  $n$  characters by adding the number  $n$  between the `%` and the type specifier (e.g., `s`, `d`, or `zu`). For example, `"%8d"` formats an `int` using (at least) eight characters.
- By default, fields are padded with spaces on the left, in order to right align them. Using a negative number will left align the field instead. For example, `"%-8d"` will format `ints` left-aligned in an eight-character column.

### *Running the program with a different `MAX_CANDIDATES`*

If you want to compile and run your program with a different value of `MAX_CANDIDATES` (e.g., 150), you can build and run the program with

```
make test SIZE=150
```

This command is also present on line 9 of the Makefile

### *Testing with automatically generated names*

For writing tests to test `libvc`'s behavior when full, you will need to generate `MAX_CANDIDATES + 1` different candidate names. And your tests should still work when `MAX_CANDIDATES` is redefined. So you need a method to automatically generate name strings.

The easiest way to do this is with `snprintf(3)`. It's a lot like `printf()`, but while `printf()` prints a formatted string to `stdout`, `snprintf(3)` takes a `char*` and writes a formatted string to this `char` array passed in.

An easy way to use `snprintf()` is to first create a sufficiently large `char` array as a local variable. Then, inside a loop keep track of the

In addition to the buffer to format into, `snprintf()` takes an upper limit on the number of characters to store; an older function, `sprintf(3)`, does not take such a limit. Why might that be a bad idea? (Hint: it might go past the end of the array!)



number of iterations. You can write a string that contains the iteration count to that array with `sprintf()` to generate a new candidate name, and then call `vc_update()` to add them. You can reuse the same `char` array for each call to `vc_update()`.

Here is a barebones example of how to use `sprintf()` to test adding many candidates to a vote count map:

```

vote_count_t vc_map = ....

char data[100];
for (int i = 0; i < MAX_CANDIDATES+1; i++) {
    sprintf(data, 20, "Candidate %d", i);
    // data now holds string "Candidate <i>"
    vc_update(vc_map, data); // Use data as the name to insert
}

```

See [the sprintf reference](#) for more information.

### *Deliverables & evaluation*

For this homework you must:

1. Implement the specification for the `vc` library in `src/libvc.c` along with the two unimplemented helper functions.
2. Implement the specification for the `count` program in `src/count.c`.
3. Add more test cases to `test/test_vc.c` in order to test the eight library functions (not the helper functions) defined in `src/libvc.c`.

The file `test/test_vc.c` contains two test cases in order to give you an idea how to write them, but you need to add many more tests. Try to cover all the possibilities, because for this assignment's self evaluation we will spot-check your test coverage by asking for just a few particular test cases. You can't anticipate which we'll ask about, so you should try to cover everything. Note that you should have test cases for edge cases, even if the autograder has tests for them as well.

Grading will be based on:

- the correctness of your implementations with respect to the specifications,
- the presence of sufficient test cases to ensure your code's correctness, and
- adherence to the [CS 211 Style Manual](#).

## *Submission*

Homework submission and grading will use Gradescope. You must include any files that you create or change. For this homework, that will include `src/libvc.c`, `src/count.c`, and `test/test_vc.c`. (You must not modify `Makefile` or `src/libvc.h`.)

Per [the syllabus](#), if you engaged in arms-length collaboration on this assignment, you must cite your sources. You may write citations either in comments on the relevant code, or in a file named `README.txt` that you submit along with your code. See [the syllabus](#) for definitions and other details.

Submit using the command-line tool `submit211`. You can run the command with the `--help` flag to see more details. The tool will ask you to log in with your Gradescope credentials, so make sure you've created an account!

To submit the necessary files for this homework, you will run something that looks like:

```
% submit211 submit --hw hw2 src/libvc.c src/count.c test/test_vc.c
```

Remember that those are relative paths to the files you want to submit. So make sure to change them to make sense for whatever directory you are running the command from. You can also add any additional files you want to upload, like `README.txt`, to the end of the command.

Unlike for Homework 1, some of the test cases on Gradescope (along with your final autograder score) are hidden to you and will only become visible once the assignment closes. We will still allow unlimited submissions to Gradescope for this homework.