

# Lecture 16: Filesystem Implementations

CS343 – Operating Systems  
Branden Gena – Spring 2022


Some slides borrowed from:

Stephen Tarzia (Northwestern), Shivaram Venkataraman (Wisconsin), Ed Lazowska (Washington), and UC Berkeley CS162


# Today's Goals

- Understand about additional filesystem features
  - Performance: disk caching
  - Reliability: checking, journaling, and copy-on-write
  
- Explore real-world filesystem designs
  - FAT, FFS, ext3/ext4, NTFS, ZFS

# File systems abstractions



# What goes within a partition?



- Header (Superblock)
  - Details about which filesystem this is
  - Metadata about the filesystem
- Free Space Tracking
  - Likely a bitmap of whether blocks are used/free
- File Tracking
  - Either allocation table or inodes
- File Data

# Create and write a file

|                      | data<br>bitmap | inode<br>bitmap | root<br>inode | foo<br>inode | bar<br>inode | root<br>data | foo<br>data | bar<br>data[0] | bar<br>data[1] | bar<br>data[1] |
|----------------------|----------------|-----------------|---------------|--------------|--------------|--------------|-------------|----------------|----------------|----------------|
| create<br>(/foo/bar) |                | read<br>write   | read<br>}     | read         |              | read         | read        | write          |                |                |
| write()              | read<br>write  |                 |               | write        | write        |              |             |                |                |                |
| write()              | read<br>write  |                 |               | read         |              |              |             |                |                |                |
| write()              | read<br>write  |                 |               | read         |              |              |             |                |                |                |

## Create:

1. First, read the parent directory to ensure that name is not already used.
2. Find & claim a free inode.
3. Add <"name", inode#> to parent directory.
4. Fill-in file metadata.

# Create and write a file

|                      | data<br>bitmap | inode<br>bitmap | root<br>inode | foo<br>inode | bar<br>inode | root<br>data | foo<br>data | bar<br>data[0] | bar<br>data[1] | bar<br>data[1] |
|----------------------|----------------|-----------------|---------------|--------------|--------------|--------------|-------------|----------------|----------------|----------------|
| create<br>(/foo/bar) |                | read<br>write   | read          |              |              | read         |             |                |                |                |
|                      |                |                 |               | read         |              |              | read        |                |                |                |
|                      |                |                 |               |              |              |              |             | read           |                |                |
|                      |                |                 |               |              |              |              |             |                | write          |                |
|                      |                |                 |               | write        |              |              |             |                |                |                |
|                      |                |                 |               | write        |              |              |             |                |                |                |
| write()              | read<br>write  |                 |               |              | read         |              |             |                |                |                |
|                      |                |                 |               |              |              |              |             |                | write          |                |
|                      |                |                 |               |              | write        |              |             |                |                |                |
| write()              | read<br>write  |                 |               |              | read         |              |             |                |                |                |
|                      |                |                 |               |              |              |              |             |                |                |                |
|                      |                |                 |               |              |              |              |             |                |                |                |
| write()              | read<br>write  |                 |               |              | read         |              |             |                |                |                |
|                      |                |                 |               |              |              |              |             |                |                |                |
|                      |                |                 |               |              |              |              |             |                |                | write          |
|                      |                |                 |               |              | write        |              |             |                |                |                |

## Create:

1. First, read the parent directory to ensure that name is not already used.
2. Find & claim a free inode.
3. Add <"bar", inode#> to parent directory.
4. Fill-in file metadata.

## Write:

1. Look for remaining space in existing blocks first.
2. Find & claim a new data block.
3. Write data to new block
4. Point to it in inode

# Outline

- **Disk Caching**
- Classical Filesystems
  - FAT
  - FFS
- Improving Reliability
  - FSCK
  - Journaling
- Journaling Filesystems
  - ext3/ext4
  - NTFS
- Copy-On-Write
  - ZFS

# Many disk interactions should be hitting memory instead

|                  | data<br>bitmap | inode<br>bitmap | root<br>inode | foo<br>inode | bar<br>inode | root<br>data | foo<br>data | bar<br>data[0] | bar<br>data[1] | bar<br>data[1] |
|------------------|----------------|-----------------|---------------|--------------|--------------|--------------|-------------|----------------|----------------|----------------|
| open("/foo/bar") |                |                 | read          | read         | read         | read         | read        |                |                |                |
| read()           |                |                 |               |              | read         |              | read        |                |                |                |
| read()           |                |                 |               |              | write        |              |             | read           |                |                |
| read()           |                |                 |               |              | read         |              |             |                | read           |                |
| read()           |                |                 |               |              | write        |              |             |                |                | read           |


time  
↓

inode reads/writes  
occur in memory



# Filesystem caching

- File I/O can be a significant bottleneck
- So keep useful parts of disk in RAM!
  - Improves performance
- OS kernel does this automatically
  - Using unused RAM to hold disk blocks



# Goals for filesystem caching

1. Cache popular blocks so the disk can be accessed less frequently.
  - Recall that disk has  $10,000\times$  greater delay than RAM.
  - **Reads** are faster if the disk block is already in memory from a recent access.
  - **Writes** can be aggregated.
    - If a thread writes three times briefly to the same file, these can likely be reduced to one write to disk if the writes are delayed.
    - If a thread creates a new file and quickly deletes it, these writes can be skipped altogether.
  - Eventually, changes must be flushed to disk, but there is no rush.
2. Must be careful to prevent two threads from accessing different unsynchronized copies of the disk block.
  - i.e., make the cache **coherent** and avoid race conditions

# Unified Page Cache

- Page replacement policy can simultaneously consider both pages from Virtual Memory and pages cached from disk
  - May choose to evict either if needed
- Priority:
  1. Unwritten disk files or unmodified memory pages
    - Situational which is more important, but neither requires writeback
  2. Written disk files
    - Going to have to be written to disk eventually anyways
  3. Modified memory pages
    - Must go to swap space to be later read again

# Prefetching

- Any cache can “prefetch”, loading memory *before* it’s needed
- Base idea: read multiple blocks from disk sequentially from each access
- Advanced: load specific files based on usage patterns
- Need to balance prefetching requests with other disk access
  - Don’t want to slow down real accesses with possibly needed prefetching

## Short break + Question


- What percentage of memory should an OS fill with disk pages?

# Short break + Question

- What percentage of memory should an OS fill with disk pages?
  - As long as it can do it in the background, as much as possible!
  - There's no particular downside:
    - As long as the page wasn't written to, the RAM can be repurposed later if needed without requiring additional writes to disk
  - (Maybe energy use is a downside?)

Real OSes aggressively cache disk in unused RAM

# Linux ate my ram!



**Don't Panic!**  
**Your ram is fine!**

[linuxatemyram.com](http://linuxatemyram.com)

# Real OSes aggressively cache disk in unused RAM

```
top - 10:25:45 up 7 days, 48 min, 3 users, load average: 0.04, 0.06, 0.09
Tasks: 650 total, 1 running, 649 sleeping, 0 stopped, 0 zombie
Cpu(s): 0.0%us, 0.0%sy, 0.0%ni, 99.9%id, 0.0%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 132144848k total, 129331984k used, 2812864k free, 37895660k buffers
Swap: 16383996k total, 436k used, 16383560k free, 45074412k cached
```

| PID   | USER      | PR | NI | VIRT  | RES  | SHR  | S | %CPU | %MEM | TIME+    | COMMAND         |
|-------|-----------|----|----|-------|------|------|---|------|------|----------|-----------------|
| 9213  | mysql     | 20 | 0  | 1263m | 156m | 14m  | S | 0.0  | 0.1  | 3:57.24  | mysqld          |
| 10001 | root      | 20 | 0  | 5748m | 219m | 14m  | S | 0.3  | 0.2  | 15:02.22 | dsm_om_connsvc  |
| 9382  | root      | 20 | 0  | 337m  | 18m  | 11m  | S | 0.0  | 0.0  | 0:10.67  | httpd           |
| 8304  | apache    | 20 | 0  | 352m  | 19m  | 10m  | S | 0.0  | 0.0  | 0:00.29  | httpd           |
| 8302  | apache    | 20 | 0  | 339m  | 14m  | 7144 | S | 0.0  | 0.0  | 0:00.16  | httpd           |
| 8298  | apache    | 20 | 0  | 339m  | 14m  | 7140 | S | 0.0  | 0.0  | 0:00.12  | httpd           |
| 8299  | apache    | 20 | 0  | 339m  | 14m  | 7136 | S | 0.0  | 0.0  | 0:00.17  | httpd           |
| 8303  | apache    | 20 | 0  | 339m  | 14m  | 7136 | S | 0.0  | 0.0  | 0:00.17  | httpd           |
| 8300  | apache    | 20 | 0  | 339m  | 14m  | 7120 | S | 0.0  | 0.0  | 0:00.13  | httpd           |
| 8301  | apache    | 20 | 0  | 339m  | 14m  | 7120 | S | 0.0  | 0.0  | 0:00.16  | httpd           |
| 8305  | apache    | 20 | 0  | 339m  | 14m  | 7112 | S | 0.0  | 0.0  | 0:00.13  | httpd           |
| 1386  | apache    | 20 | 0  | 339m  | 14m  | 7096 | S | 0.0  | 0.0  | 0:00.06  | httpd           |
| 1387  | apache    | 20 | 0  | 339m  | 14m  | 7084 | S | 0.0  | 0.0  | 0:00.07  | httpd           |
| 1122  | spt175    | 20 | 0  | 251m  | 14m  | 6484 | S | 0.0  | 0.0  | 0:00.26  | emacs           |
| 2615  | root      | 20 | 0  | 92996 | 6200 | 4816 | S | 0.0  | 0.0  | 0:00.93  | NetworkManager  |
| 9865  | root      | 20 | 0  | 1043m | 23m  | 4680 | S | 0.3  | 0.0  | 9:44.98  | dsm_sa_datamgrd |
| 8737  | postgres  | 20 | 0  | 219m  | 5380 | 4588 | S | 0.0  | 0.0  | 0:01.00  | postmaster      |
| 2786  | haldaemon | 20 | 0  | 45448 | 5528 | 4320 | S | 0.0  | 0.0  | 0:03.99  | halld           |
| 9956  | root      | 20 | 0  | 491m  | 7268 | 3280 | S | 0.0  | 0.0  | 3:16.30  | dsm_sa_snmpd    |
| 990   | root      | 20 | 0  | 103m  | 4188 | 3172 | S | 0.0  | 0.0  | 0:00.01  | sshd            |
| 1014  | root      | 20 | 0  | 103m  | 4196 | 3172 | S | 0.0  | 0.0  | 0:00.02  | sshd            |
| 19701 | root      | 20 | 0  | 103m  | 4244 | 3172 | S | 0.0  | 0.0  | 0:00.01  | sshd            |

- *buffers* and *cached* both represent file data that is being stored in memory for improved performance
  - Still available for programs
  - Just being made useful for now by caching disk
- Might be a lot of RAM's use for big systems
  - Total RAM: 128 GB
  - Disk cache: 83 GB



# Outline

- Disk Caching
- **Classical Filesystems**
  - **FAT**
  - **FFS**
- Improving Reliability
  - FSCK
  - Journaling
- Journaling Filesystems
  - ext3/ext4
  - NTFS
- Copy-On-Write
  - ZFS

# FAT (FAT/FAT12/FAT16/FAT32)

- File Allocation Table
- FAT: Microsoft system from *before* MS-DOS (1977)
  - 8 MB max file size
  - 9 character file names
  - No subdirectories
- FAT32: Windows 2000 (introduced 1996)
  - 2 GB max file size
  - 255 character file names
  - Supports up to 16 TB partitions
  - 16 byte granularity for files


# FAT design choices

- Allocation table for tracking data blocks
  - Requires four bytes per block in the disk
  - File attributes need to be kept in the directory data block
- Still in use for embedded systems
  - Simple to implement
  - Still compatible with modern general-purpose OSes
  - Works for small and relatively large files and disks
    - Think SD cards
  - Implements aggressive block caching

# Fast File System (FFS)

- Unix File System (FS) from 1970
  - inode-based design (combination of all the basic stuff covered last time)
  - Simple and slow
    - inodes are far from data blocks
    - data blocks become fragmented over time
- BSD Fast File System (mid-1980s)
  - First “Disk aware file system”
    - Understands disk seek patterns and sequential access benefits

# FFS groups



- Split disk space into a set of “cylinder groups”
  - Each group has its own bitmaps, inodes, and data
  - Keeps data and inodes closer together



# FFS file placement strategy

- General theme: put related pieces of data near each other
- Rules
  1. Put directory data near directory inodes
  2. Put file inodes near directory data
  3. Put data blocks near file inodes
- Example
  - Each directory gets put in an empty group
  - Keep all files within a directory in that single group

# FFS example

- Example:
  - Directories: **/**, **/a/**, and **/b/**
    - **/a/** files: **c**, **d**, **e**
    - **/b/** files: **f**

| group | inodes    | data       |
|-------|-----------|------------|
| 0     | /-----    | /-----     |
| 1     | acde----- | accddee--- |
| 2     | bf-----   | bff-----   |
| 3     | -----     | -----      |
| 4     | -----     | -----      |
| 5     | -----     | -----      |
| 6     | -----     | -----      |
| 7     | -----     | -----      |
| ...   |           |            |

# FFS large file problem

- A single large file can fill nearly all of a group
  - So remaining files would have to be placed in other groups

```
group inodes    data
  0 /a----- /aaaaaaaaa aaaaaaaaaa aaaaaaaaaa a-----
  1 -----
  2 -----
  ...
```

- Instead, limit filesize per group and place remaining blocks in other groups

```
group inodes    data
  0 /a----- /aaaaa-----
  1 ----- aaaaa-----
  2 ----- aaaaa-----
  3 ----- aaaaa-----
  4 ----- aaaaa-----
  5 ----- aaaaa-----
  6 -----
  ...
```

- Most files are small so prioritize them
- Rare, large files will have worse performance




# Outline

- Disk Caching
- Classical Filesystems
  - FAT
  - FFS
- **Improving Reliability**
  - **FCK**
  - **Journaling**
- Journaling Filesystems
  - ext3/ext4
  - NTFS
- Copy-On-Write
  - ZFS

# Crash tolerance

- Filesystems are persistent and store important data
- They *cannot* rely on a graceful shutdown
  - Power outages happen
  - Kernel might panic
  - USB plug might be yanked out
- File system structure updates are *critical sections*
  - Not concerned about race conditions, but rather partial updates
  - Transactions should be performed atomically, “all or none”
- All reads and writes aren't necessarily guaranteed
  - But system needs to stay **consistent**

# Crash example (writing to /foo/bar)



- Crash before write to file's inode could leak a data block
  - Data bitmap was updated to reserve data block and data was written
  - But the data block is not pointed to by any inode
  - Block ends up wasted
- Other write order could be worse
  - Inode points to a block that hasn't been written and has garbage data
  - Or block is still marked as free in the bitmap, and another file will overwrite it!!

# File system checker (FSCK)

- After a crash, scan entire disk for contradictions and “fix”
  - System pauses boot until FSCK completes
- Example: check data bitmap consistency
  - Read every valid inode
  - Any referenced data block should be marked as used
  - Any used blocks that are not referenced can be marked free
- Also check
  - Each inode should only be listed under one directory (without hard links)
  - Two inodes should not share a data block
  - All block addresses should be valid


# Problems with FSCK

## 1. FSCK makes disks *consistent*, not *correct*

- Not always obvious how best to fix file system image
- Trivial way to get consistency: reformat disk

## 2. FSCK is very slow

- Reading from disk is slow
- Reading ALL of disk takes a long time, especially as disks increase in size




Checking a 600GB disk takes **~70 minutes**

# Filesystem transactions

- Goals
  - Move reliability mechanism to continuous operations during runtime
    - Some recovery after crash is fine, but not entire disk
  - Don't just make file system consistent
    - Guarantee correctness
- Solution: enforce atomic transactions
  - Each transaction must be performed in its entirety or not at all
    - Either all new data is visible
    - Or all old data is visible

# Journaling Filesystems



- Write all transactions to *journal* instead of actual locations



1. Write the blocks to the log, a reserved part of the disk.
  - This makes a durable record of the transaction you plan to commit.
  - Continue putting all writes to the log, until ***commit*** is called.
2. On commit, write a commit message to the log, then start writing all of the logged writes where they belong on disk.
  - Clear the log after everything is written again.

# Journaling example

## Journal




- Current contents of 8 blocks of disk and the journal
  - Note that the journal is also on disk
- Keeping this abstract
  - Blocks could be bitmaps, inodes, data, or anything




# Journaling example

## Journal





|                          |
|--------------------------|
| <b>Transaction Begin</b> |
| 0                        |
| 0                        |
| 0                        |
| 0                        |
| 0                        |



- Write transaction start to journal

# Journaling example



## Journal



- Write transaction start to journal
- Then actions for that transaction
  - Along with the data
  - Journal must be multiple blocks in size

# Journaling example


## Journal




- Write transaction start to journal
- Then actions for that transaction
  - Along with the data
  - Journal must be multiple blocks in size
- “Commit” by writing transaction end

# Journaling example

## Journal





|                          |
|--------------------------|
| <b>Transaction Begin</b> |
| Write Block 6, Data: Y   |
| Write Block 7, Data: Z   |
| <b>Transaction End</b>   |
| 0                        |
| 0                        |



- Sometime after transaction is written, data can actually be recorded to disk

# Journaling example

## Journal





- Sometime after transaction is written, data can actually be recorded to disk
- And then journal can be cleared

# Resolving crashes with journaling

- The next time the computer boots, OS resolves filesystem:
  1. No transactions happening when crash occurred
    - Journal is empty. Do nothing because there were no outstanding transactions.
  2. Crash occurred *before commit* (before Transaction End):
    - There is data in the journal, but no commit message.
    - Just clear the log to **roll back** the transaction.
  3. Crash occurred *after commit*, while writing data to main part of disk.
    - We don't know how much of the transaction was finished.
    - However, the journal tells us exactly what must be done!
    - **Replay** the transaction (from the beginning), then clear the journal.

# Break + Check your understanding – resolve after crash



## Journal



- When did this crash occur?
- What steps should be taken?

# Break + Check your understanding – resolve after crash

## Journal




- When did this crash occur?
  - After commit
  - Some data may have even been written (impossible to know)
- What steps should be taken?
  - Replay transaction and perform the writes



Break + Check your understanding – resolve after crash again

## Journal




|                        |
|------------------------|
| Transaction Begin      |
| Write Block 3, Data: B |
| Write Block 4, Data: C |
| 0                      |
| 0                      |
| 0                      |

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| Q | R | 0 | B | C | 0 | Y | Z |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |

- When did this crash occur?
- What steps should be taken?

Break + Check your understanding – resolve after crash again

## Journal



|   |
|---|
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| Q | R | O | B | C | O | Y | Z |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |

- When did this crash occur?
  - Before transaction committed
- What steps should be taken?
  - Delete partial transaction from journal
  - No need to edit disk blocks

# Journaling performance

- Transactions only need to be written to the journal for writes
- Interactions with disk can still be cached as before
  - Would be lost in a crash, but no consistency problems
  - Several writes can be combined into one transaction
- Can avoid writing all disk blocks twice by only tracking metadata
  - Writes to bitmaps, inodes, and directories are journaled
  - Writes to file data blocks just happen whenever
    - File could still be corrupted! But the filesystem is safe
    - Likely only corrupted in units of whole blocks

# Outline

- Disk Caching
- Classical Filesystems
  - FFS
  - FAT
- Improving Reliability
  - FSCK
  - Journaling
- **Journaling Filesystems**
  - **ext3/ext4**
  - **NTFS**
- Copy-On-Write
  - ZFS

# ext2/ext3/ext4

- extended filesystem – default for Linux
- ext2 (1993)
  - “Block groups” rather than cylinder groups, of arbitrary size
- ext3 (2001)
  - Adds journaling
  - Configuration options choose to journal either everything or metadata-only
- ext4 (2006)
  - Extents, encryption
  - Used on modern-day linux systems

# Extents reduce number of pointers to data blocks

- Extents
  - Instead of raw block addresses
  - Store starting block address and length
  - Greatly compacts sequentially stored data pointers in inodes
- ext4 uses extents
  - 4 extents per file
  - Large, fragmented files use hierarchical system like original inodes

# Other ext4 advances

- Encryption
  - Encrypts a directory and all of its contents
  - File names and file data
  - AES encrypt/decrypt is performed on data blocks during read/write
- Directory data structure
  - Htree (specialized B-tree)
  - Enables large subdirectory chains and many files with good seek time

# NTFS


- NT File System – modern Windows filesystem (1993)
  - Designed for Windows NT (Windows 2000 and up)
  - Uses Master File Table rather than Allocation Table
- Has grown to include many features we've seen
  - Journaling
  - Extents
  - Encryption
  - Directories using B-Trees
- Adds compression



# NTFS Master File Table


- Master File Table
  - Similar in practice to an array of inodes
  - Except that a single file can claim multiple MFT records
    - Additional records are indirected additional data block pointers
- Each MFT Record contains
  - Standard attributes
  - Name and pointer to parent directory
  - Storage space
    - Can hold extents to point to series of data blocks
    - Can hold pointers to additional MFT records (for more data blocks)
    - Can hold file data itself!! (if small enough)

# NTFS with medium-sized, mostly non-fragmented file




# NTFS with a small file

Master File Table



MFT Record (small file)



# NTFS can automatically compress files

- Before write to disk, compress file data blocks
  - Only write smaller compressed data
- After read from disk, decompress file data blocks
  
- Interesting tradeoff
  - Read less total blocks from disk
  - Spend more CPU time manipulating blocks

# Break + Extend Thinking

- In Windows 10, a service compresses infrequently used files
  - What files will this work on and what won't this help with?

# Break + Extend Thinking

- In Windows 10, a service compresses infrequently used files
  - What files will this work on and what won't this help with?
- Text files are super compressible!!
- Code binaries are maybe compressible.
- Unfortunately, can't compress already compressed files
  - Particularly: videos and music

# Outline

- Disk Caching
- Classical Filesystems
  - FFS
  - FAT
- Improving Reliability
  - FSCK
  - Journaling
- Journaling Filesystems
  - ext3/ext4
  - NTFS
- **Copy-On-Write**
  - **ZFS**


# Adding file versioning through copy-on-write

- Correctness could also come with a bonus: ability to version files
  - File could be rolled back to an older version from a prior point in time
- Method: instead of over-writing existing data block
  - Write update to a brand new data block
  - Create a new inode for the file that points to the new data block
    - And still points to original data for the other unmodified blocks
  - New inode points to new version of file
  - Old inode points to old version of file
- No longer needs journal for correctness




# Reminder: hierarchical inodes

- Likely some bit in each entry specifies whether it points at:
  1. A data block
  2. A block with additional data pointers
- This system can recurse multiple layers deep
  - Allows for really large files



# Copy-on-write example



# ZFS

- Developed by Sun Microsystems, now Oracle (2006)
- Uses Copy-on-Write transactions
- Snapshots
  - Enabled by copy-on-write
  - Points in time for the filesystem can be “snapshot”
  - Files can be returned to prior versions from the snapshot

# Pooled file system

- ZFS (and other filesystems) use a concept of pools of storage
  - Flips around disk-filesystem relationship
  - Instead of one filesystem per partition and multiple partitions per disk
  - One filesystem manages multiple disks
- Replaces need for RAID by allowing filesystem to make choices
- Common design pattern in computer systems
  - Abstractions make systems easy to use
  - Breaking abstractions allows for improved performance

# Log-Structured File Systems

- Can go further along copy-on-write path
  - Entire disk is just a log of updates to files and inodes
- No longer doing small writes all over disk
  - Jumping between inodes and data blocks
  - Small, random writes are bad for HDD seek
- Instead, treat disk as a circular buffer that updates are written to
  - Write new data, then new inode after it, then next new data
  - All writes end up occurring sequentially
  - Garbage collect old file versions eventually when space gets low

# Outline

- Disk Caching
- Classical Filesystems
  - FFS
  - FAT
- Improving Reliability
  - FSCK
  - Journaling
- Journaling Filesystems
  - ext3/ext4
  - NTFS
- Copy-On-Write
  - ZFS